ARCONAS

# Materials & Finishes

At Arconas, we meticulously select finishes that not only look and feel exquisite but also stand the test of time. Each selection is chosen to enhance our products, ensuring they offer not just style but lasting durability.

Explore our range and discover how our finishes can transform your spaces into areas of comfort and elegance.

# Understanding Our Grading System

Choosing the right finishes is crucial for creating furniture that meets our high standards of quality, sustainability, and aesthetic appeal. To assist you in making informed decisions, we've developed a comprehensive grading system that evaluates each finish based on key criteria: material construction, color selection, texture, durability, environmental properties and warranty.

Construction



Colour Selection

Texture

Durability

Environmental Properties

Warranty



# Textiles

# Textiles

| Criteria | Material/ Construction | Colour Selection | Texture | Durability | Environmental Properties |
|---|---|---|---|---|---|
| Grade **A** Esprit | Standard Vinyl | 74 color options | • Smooth<br>• Not a lot of stretch<br>• Stays taut | • Highly durable<br>• High performance material<br>• Budget-oriented | • No environmental properties<br>• Contains plasticizers and PVC |
| Grade **B** Naugasoft | Premium Vinyl | 22 color options | • Soft<br>• Satiny, Leather-like feel | • Great wear properties<br>• Proven in high-impact environments | • No environmental properties<br>• Contains plasticizers and PVC |
| Grade **C** Destiny | Nylon Matrix | 29 color options | • Softer<br>• Behaves like leather<br>• May get softer over time<br>• More give | • Long life cycle<br>• Resists cracking and peeling | • No plasticizers or PVC<br>• Low VOC |
| Grade **D** Eleather | Leather Fiber Composite | 22 color options | • Luxurious<br>• Natural, leather-like feel<br>• May get softer over time<br>• More give | • Durable<br>• Proven in high-impact environments | • No plasticizers or PVC<br>• Low VOC<br>• Contains recycled material |

# Grade A | Esprit

by Nassimi

**Standard Vinyl**

---

Our Grade A material is a standard vinyl known for its flexibility and strength. It offers a sleek appearance, a large color selection and is easy to clean and maintain.



# Grade A | Esprit


Super White


Snow White

Adobe White

Alabaster

Flint Grey


Dove

Platinum

Gun Metal

Graphite

Blue Ridge

Imperial Blue

Blueberry

Royal

Marina


Space Blue


Colonial Blue

Regimental Blue


Ocean Grey

Aqua Dark

Aegean

Aqua Green

Grotto

Forest

Emerald

Yew Green


Vizcaya Palm

Teal

Celadon

# Grade A | Esprit

Dusty Jade


North Woods

Irish Spring

Olive Green

Artichoke


Green Tea

Taupe

Tea Leaf

Mocha

Chestnut

Espresso


Black

Burgundy

Concord


New Purple

Purple Iris

Grape

Plum

Wood Violet

Iris

Blush

Mauve

Tea Rose

Sangria

Candy Apple

Wineberry

Deep Clay

Claret

# Grade A | Esprit

Raspberry

Paprika

American Beauty

Tomato


Mandarin Orange

British Tan

Rose

Peach


Pink

Shell

Toast


Parchment

Doe


Sun Yellow


Goldenrod

Saddle Tan

Oak

Dewberry

# Grade A | Esprit

## Information

**GENERAL SPECIFICATIONS**

| | |
|---|---|
| Surface composition | 100% PVC |
| Substrate composition | 100% Polyester |
| Weight | 30 oz per linear yard |
| Width | 54” |
| Thickness | 0.97 mm |

**ADDED PERFORMANCE SPECIFICATIONS**

| | |
|---|---|
| Stain resistance | Yes |
| Colorfastness to uv | 1,000 Hours |
| Bleach resistance | Yes, 10% Dilution |
| Mildew resistant | Pass |
| Cold crack | -20° F |
| Sulfide stain resistance | Yes |

**PHYSICAL PERFORMANCE SPECIFICATIONS**

| | |
|---|---|
| Abrasion resistance | 250,000+ Double Rubs |
| Breaking strength | 95 Warp, 73 Fill |
| Crocking resistance | 5 Dry, 5 Wet |
| Flex resistance | 25,000+ |
| Tear strength: tongue tear | 11.9 Warp, 15.4 Fill |
| Seam strength: tack tear | 67 Warp, 43 Fill |

**FLAME RETARDANCY SPECIFICATIONS**

| | |
|---|---|
| California Technical Bulletin 117:2013 | PASS |
| UFAC Class I | PASS |
| NFPA 260 | PASS |

**REDUCED ENVIRONMENTAL IMPACT**

- This product does not pose any exposure risks associated with the chemicals in prop 65 no added flame retardant chemicals - ab2998 compliant
- No added anti-bacterial chemicals 7p phthalate free
- Lead / heavy metal free
- Bpa free / PFAS free / tris free / formaldehyde free does not contain conflict minerals

**CLEANING AND MAINTENANCE**

- For light soiling, clean the soiled area with mild soap and water, then rinse with fresh water and wipe down with a clean cloth.
- For heavy soiling, clean the soiled area with a 50% solution of Isopropyl Alcohol and water. It is important to rinse the cleaned area with fresh water after applying the alcohol solution.
- For food stains or oil, Wipe affected area with a soft cloth or soft bristle brush using a none abrasive cleaner, for example Formula 409 or Fantastik. Rinse with fresh water and wipe dry.
- For healthcare and disinfection, Clean the soiled area with a 10% solution of Household Bleach and water. It is important to rinse the cleaned area with fresh water after applying the bleach solution.

**NOTE: Test on a hidden area before applying to the stain**.
**DO NOT USE WITH ALCOHOL-BASED CLEANING AGENTS**

# Grade B | NaugaSoft

by NaugaHyde

**Premium Vinyl**

---

Our Grade B material is a premium vinyl offering a soft, leather-like feel with exceptional durability and versatility. This high-performance material is engineered to withstand wear and tear, making it resistant to fading, stains, and abrasions.

# Grade B | NaugaSoft



34-Soft-White

35-Fawn

44-Cream

37-Feather



46-Blue-Fog



50-Lake-Louise



55-Deep Sapphire



54-Mallard-Blue

40-Black-Satin



49-DeepSea

39-Laurel



45-MintLeaf



53-Ivy

51-Cocoa

43-VelvetBrown

52-Saddle

47-Tapestry Red

38-Harness

41-Mulberry

36-Cabernet

# Grade B | NaugaSoft

## Information

**GENERAL SPECIFICATIONS**

| | |
|---|---|
| Surface composition | 100% PVC |
| Substrate composition | 100% Polyester |
| Weight | 30 oz per linear yard |
| Width | 54” |
| Thickness | 0.97 mm |

**ADDED PERFORMANCE SPECIFICATIONS**

| | |
|---|---|
| Stain resistance | Yes |
| Colorfastness to uv | 1,000 Hours |
| Bleach resistance | Yes, 10% Dilution |
| Mildew resistant | Pass |
| Cold crack | -20° F |
| Sulfide stain resistance | Yes |

**PHYSICAL PERFORMANCE SPECIFICATIONS**

| | |
|---|---|
| Abrasion resistance | 250,000+ Double Rubs |
| Breaking strength | 95 Warp, 73 Fill |
| Crocking resistance | 5 Dry, 5 Wet |
| Flex resistance | 25,000+ |
| Tear strength: tongue tear | 11.9 Warp, 15.4 Fill |
| Seam strength: tack tear | 67 Warp, 43 Fill |

**FLAME RETARDANCY SPECIFICATIONS**

| | |
|---|---|
| California Technical Bulletin 117:2013 | PASS |
| UFAC Class I | PASS |
| NFPA 260 | PASS |

**REDUCED ENVIRONMENTAL IMPACT**

- This product does not pose any exposure risks associated with the chemicals in prop 65 no added flame retardant chemicals - ab2998 compliant
- No added anti-bacterial chemicals 7p phthalate free
- Lead / heavy metal free
- Bpa free / PFAS free / tris free / formaldehyde free does not contain conflict minerals

**CLEANING AND MAINTENANCE**

- For light soiling, clean the soiled area with mild soap and water, then rinse with fresh water and wipe down with a clean cloth.
- For heavy soiling, clean the soiled area with a 50% solution of Isopropyl Alcohol and water. It is important to rinse the cleaned area with fresh water after applying the alcohol solution.
- For food stains or oil, Wipe affected area with a soft cloth or soft bristle brush using a none abrasive cleaner, for example Formula 409 or Fantastik. Rinse with fresh water and wipe dry.
- For healthcare and disinfection, Clean the soiled area with a 10% solution of Household Bleach and water. It is important to rinse the cleaned area with fresh water after applying the bleach solution.

**NOTE: Test on a hidden area before applying to the stain**.
**DO NOT USE WITH ALCOHOL-BASED CLEANING AGENTS**

# Grade C | Destiny

by Majilite

**Nylon Matrix**

---

Our Grade C material is a nylon matrix fabric offering a luxurious, durable finish with a soft texture, engineered for longevity and ease of maintenance. It is resistant to stains, moisture, and wear, making it ideal for high-traffic environments.

# Grade C | Destiny

Parchment

Eggshell

Ash

Mink

Truffle

Olive

Cactus

Butter

Dune

Oak

Chestnut

Football

Saddle

Root

Deep Red

Wine

Black Rose

Black

Newport

Mocha

# Grade C | Destiny

Storm

Periwinkle

Blueberry

Royal Purple

Otter



Patina

Juniper

Cedar

Evergreen

# Grade C | Destiny

## Information

**GENERAL SPECIFICATIONS**

| | |
|---|---|
| Substrate composition | 100% Nylon Fiber Matrix |
| Weight | 8.8 oz/sq yd, 300 g/m$^2$ |
| Width | 54” |

**PHYSICAL PERFORMANCE SPECIFICATIONS**

| | |
|---|---|
| Abrasion resistance | 1,000,000 Double Rubs |
| Cold crack | -28° F |
| Tear strength: tongue tear | 30 lbs x 30 lbs (ASTM D-1117-80) |
| Seam strength: tack tear | 100 lbs x 100 lbs (ASTM D-1683-90A) |

**FLAME RETARDANCY SPECIFICATIONS**

| | |
|---|---|
| California Technical Bulletin 117:2013 | PASS |
| UFAC Class I | PASS |
| NFPA 260 | PASS |
| Tunnel Test | PASS |

**REDUCED ENVIRONMENTAL IMPACT**

- This product does not use PVC’s, plasticizers, phthalates, formaldehyde, lead, cadmium, dioxins, or ozone-depleting chemicals in our products or in their production.
- Majilite products Pass CA Section 01350 (VOC emissions), are REACH compliant and meet CAL 117-2013 and NFPA 260 without the addition of flame retardant chemicals
- Proposition 65 Statement available upon request

**CLEANING AND MAINTENANCE**

- Use a clean cloth or soft sponge to dab the stain with soapy water, mixed according to the manufacturer’s directions. Remove the soap solution by wiping the area with a cloth and clean water. Dry with a soft lint-free cloth or towel.
- Very stubborn stains or non-water soluble stains can be removed with a mild solvent such as naphtha (lighter fluid, paint thinner). Lightly wipe the stain with a clean cloth which has been moistened with solvent. Blot the area with a dry cloth and allow to dry.
- Many ink and magic marker stains can be removed using a solution of one part Wisk detergent and one part rubbing alcohol. Dab lightly with a cloth which has been moistened with the solution. Do not rub. As the ink loosens, blot the area with a dry cloth. Repeat if necessary. Rinse with a cloth damp-ened in clean water, and dry with a soft cloth.
- For commercial installations use mild soap and water for general cleaning.

**NOTE: Test on a hidden area before applying to the stain**.
**DO NOT USE WITH ALCOHOL-BASED CLEANING AGENTS**

# Grade D | ELeather

by Gen Phoenix

**Leather Fibre Composite**

---

Our Grade D option is an eco-friendly material made from recycled leather fibers, combining the strength of leather with sustainability. It's lightweight, easy to maintain, and provides a premium leather-like look.

# Grade D | ELeather


2982

2980

2984

2992

2993


2979

3129


2976

2991


3137

3133


3136


3130


2978

3131

3132


2977

3134


3135


2990


3128


2989

# Grade D | ELeather

## Information

**GENERAL SPECIFICATIONS**

| | |
|---|---|
| Substrate composition | Leather Fiber Composite |
| Weight | 8.8 oz/sq yd, 300 g/m$^2$ |
| Width | 54” |

**PHYSICAL PERFORMANCE SPECIFICATIONS**

| | |
|---|---|
| Abrasion resistance | 50,000 double rubs |

**FLAME RETARDANCY SPECIFICATIONS**

| | |
|---|---|
| California Technical Bulletin 117:2013 | PASS |
| UFAC Class I | PASS |
| NFPA 260 | PASS |

**REDUCED ENVIRONMENTAL IMPACT**

•

**CLEANING AND MAINTENANCE**

- For light soiling, use a clean cloth or soft sponge to dab the stain with soapy water. Remove the soap solution by wiping the area with a cloth and clean water. Dry with a soft lint-free cloth or towel.
- For heavy soiling or non-water soluble stains can be removed with a mild solvent such as naphtha (lighter fluid, paint thinner). Lightly wipe the stain with a clean cloth moistened with solvent. Blot the area with a dry cloth and dry.

**NOTE: Test on a hidden area before applying to the stain**.

**DO NOT USE WITH ALCOHOL-BASED CLEANING AGENTS**



# Table Surfaces

# Table Surfaces

| Criteria | Material/ Construction | Colour Selection | Texture | Durability | Environmental Properties |
|---|---|---|---|---|---|
| **Phenolic Fenix** | Laminate | 3 color options | • Soft-touch<br>• Matte finish | • Scratch-resistant<br>• Heat-resistant<br>• Self-healing for minor scratches<br>• Not as hard as stone surfaces | • Low VOC<br>• Greenguard certified<br>• EPD and HPD certified<br>• Contains recycled material |
| **Solid Surface** | Aluminum Trihydrate Composite | 4 color options | • Soft-touch<br>• Warm-feel<br>• Smooth | • Durable and repairable<br>• Softer than stone<br>• Resistant to moisture and impact | • Low VOC<br>• Greenguard certified,<br>• EPD and HPD certified,<br>• Contains recycled material |
| **Silestone** | Quartz Composite | 3 color options | • Smooth<br>• Hard<br>• Cool-touch<br>• Quartz-like feel | • Extremely durable<br>• Scratch-resistant<br>• Heat-resistant<br>• Non-porous | • Low VOC and NSF-certified<br>• Processed using 100% renewable energy<br>• Zero water waste<br>• Contains at least 20% recycled material |

# Phenolic Fenix

Phenolic Fenix is an innovative laminate material with a solid core of 12 mm offering versatility and durability for high traffic environments. With low light reflectivity, Fenix is extremely opaque, soft touch and anti-fingerprint.

# Phenolic Fenix



Bianco Male 0029



Grigio Bromo 0724

Nero Ingo 0720

# Phenolic Fenix

## Information

**GENERAL PROPERTIES**

- UV resistant
- Acid resistant
- Scratch resistant
- Anti-conductive

**ENVIRONMENTAL CERTIFICATION**

Greenguard Gold certified
Low Chemical Emission UL2818

**HYGIENIC CERTIFICATION**

NSF/ANSI 35 certified

**CLEANING AND MAINTENANCE**

- Use any household cleaner and warm water
- Always end by rinsing with warm water
- Dry with a clean cloth to avoid limescale residue

**DO NOT USE ABRASIVE CREAMS, A SCOURING PAD OR HARD BRUSH**

# Solid Surface

Solid Surface Corian® is an advanced composite material offering exceptional design versatility, functionality, and low-maintenance care. Solid Surface is engineered for durability, making it ideal for tabletops and counters.



# Solid Surface



Antarctica



Platinum

Deep Night Sky

# Solid Surface

## Information

### GENERAL PROPERTIES

- Fire resistant
- UV resistant
- Acid resistant
- Scratch resistant
- Anti-microbial
- Anti-conductive

### ENVIRONMENTAL CERTIFICATION

SCS Global certified, Environmental Product Declaration (EPD), Health Product Declaration (HPD)
LEED certified, ISO14001certified

### HYGIENIC CERTIFICATION

NSF/ANSI 35 certified

### CLEANING AND MAINTENANCE

- Ammonia-based cleaners, solid surface cleaners, or soap and water with a soft scrub is recommended
- Spills should be wiped immediately and left to completely dry

### CLEANING AND MAINTENANCE

- Ammonia-based cleaners, solid surface cleaners, or soap and water with a soft scrub is recommended
- Spills should be wiped immediately and left to completely dry

### STAINS AND SCRATCHES

- Renew the surface with an abrasive pad and water
- Wet the area and pad and wash using a circular motion for 30 seconds. Do not use excessive pressure.
- Dry the area and observe to see if the stain has been removed. Repeat steps again until the stain has been removed.

### DO NOT USE HARSH CHEMICALS

- **NO** Strong chlorinated solvents
- **NO** Alkaline cleaners, such as acetone or bleach
- **NO** Concentrated acids, such as sulfuric and hydrochloric acids
- **NO** Window cleaners
- **NO** Disinfectants and sterilants, such as disinfecting wipes, alcohol-based hand sanitizers
- **NO** Rubbing alcohol mixed with bleach to create chloroform
- **NO** Methylene chloride, such as paint removers

# Silestone

Silestone is a hybrid surface of natural minerals and recycled materials, engineered for a polished, lustrous finish. With the durability of granite and marble but a brighter look, it’s a long-lasting, stain-resistant choice.



# Silestone

Lime Delight
**URBAN CRUSH**

Concrete Pulse
**URBAN CRUSH**



Cinder Craze
**URBAN CRUSH**

# Silestone

## Information

### GENERAL PROPERTIES

- UV resistant
- Water resistant
- Acid resistant
- Scratch resistant
- Impact resistant

### ENVIRONMENTAL CERTIFICATION

Greenguard Gold certified
Low Chemical Emission UL2818
LEED certified
Environmental Product Declaration (EPD)
ISO 14001certified

### HYGIENIC CERTIFICATION

NSF/ANSI 35 certified

### CLEANING AND MAINTENANCE

- Wipe with soap and warm water on a regular basis
- Any pH balanced general-purpose household cleaner may be used

### DO NOT USE HARSH CHEMICALS AND SOLVENTS

# Metal Finishes

Our standard powder-coated metal offers a durable, eco-friendly, and low-maintenance finish that’s customizable and ideal for high-traffic areas, ensuring long-lasting aesthetic appeal.

# Standard Powder-Coated Metals

Cloud Silver
Indoor/Outdoor*
*Must be zinc-plated to be used outdoors

Tungsten Silver
Indoor

Matte Black
Indoor

Latte
**SANDTEX FINISH**
Indoor

Graphite
**SANDTEX FINISH**
Indoor/Outdoor

Textured Black
**SANDTEX FINISH**
Indoor/Outdoor

# Powder-Coated Metals for 4Share Tables, Avro & emBARq

Blackstone

Cloud Silver
(Not available for Avro)

# Powder-Coated Metals for X-Series Collection

Cloud Silver

Silver Metallic

Light Grey

Black

Charcoal Grey

Blue

Bright Red

Dark Brown

Green

# Other Metals

Stainless Steel

Satin Polish Aluminum

Bright Polish Aluminum

# Metals
## Information

### GENERAL PROPERTIES
- UV resistant
- Water resistant
- Scratch resistant

### FLAMMABILITY

| | |
|---|---|
| NF EN 45545-2 Class 1 | PASS |
| BS476 | PASS |

### CLEANING
- Metal components should be dusted monthly to keep them looking their best and to avoid build up of dust.
- Any stains should be washed with mild soap in water and wiped dry to insure that water is not left sitting on the product to dry.

**DO NOT USE WITH ALCOHOL-BASED CLEANING AGENTS**

### MAINTENANCE
- Products with metal finishes require a minimum amount of care due to the nature of its construction, however some preventative maintenance will insure it maintains its beauty for many years.

# Wood

Our wood finishes are hard wood and cut from a single moulded form ensuring  grain continuity. Seats and backs are wood veneer. Benches are solid wood.

# Wood

Maple

Oak

Walnut

# Wood

## Information

Our standard wood grains are Maple, Oak and Walnut.

**Wood seats and backs** are made from wood veneer (laminated hardwood plywood) and are cut from a single moulded form ensuring grain continuity from one seat position to another.

**Wooden bench tops** are made from solid wood (seasoned hardwood), doweled and glued to ensure strength and durability. All are clear coated for easy touch up of minor scratches (no stain matching required).

**CLEANING**

- Wood components should be dusted monthly to keep them looking their best and to avoid build up of dust.
- Any stains should be washed with mild soap in water and wiped dry to insure that water is not left sitting on the product to dry.

**DO NOT USE WITH ALCOHOL-BASED CLEANING AGENTS**



# Avro

## Reinforced Polypropylene Composite

Avro’s seating shells are crafted from high-pressure injected, recycled reinforced polypropylene composite material, engineered to withstand the demands of high-traffic environments. Beyond its functional lifespan, the material can be recycled into other products, supporting sustainable lifecycle practices.

# Avro

Black



Burnt Orange

Clay

Dark Forest

Dock Blue



Quarry

Serpentine



Smoked Green

# Avro
## Information

### GENERAL PROPERTIES
- UV stable
- Flexular Tensile strength 99 MPa

### ENVIRONMENTAL CERTIFICATION
SCS Global certified
ANSI/BIFMA 7.1
Environmental Product Declaration (EPD)
Health Product Declaration (HPD)
LEED certified
ISO 9001 / 14001 -certified

### FLAMMABILITY
Fire retardant
CAL 117:2013 PASS

### CLEANING
Clean with a mild soap and water solution. Wipe the surface with a damp cloth, then dry thoroughly.

### DO NOT USE ABRASIVE CLEANERS, SOLVENTS, OR ALCOHOL-BASED PRODUCTS

# Bernù Poly

Bernù Aero Injected Polyurethane delivers the high-performance combined with ease of maintenance. With anti-microbial properties and durable construction, Bernù Aero Poly is an ideal solution for waiting areas that demandcomfort and convenience.

# Bernù Poly

Royal Blue

Graphite

Black

# Bernù Poly
## Information

**GENERAL PROPERTIES**
- UV stable

**ENVIRONMENTAL CERTIFICATION**
SCS Global certified
ANSI/BIFMA 7.1

**CLEANING**
- Use a mild soap and warm water solution with a damp cloth to clean spills or stains. Avoid soaking the material; blot dry with a clean towel

**DO NOT USE ABRASIVE CLEANERS, SOLVENTS, OR ALCOHOL-BASED PRODUCTS**

**MAINTENANCE**
- Products with metal finishes require a minimum amount of care due to the nature of its construction, however some preventative maintenance will insure it maintains its beauty for many years.

# Product Finishes Chart

| | | PRODUCTS | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | Avro shell | Avro upholstered | Avro recliner | Avro lounge | Avro wood bench | Avro tables | Bernù Aero | Bernù Poly | Bernù Luxe | Bernù Perforated | Bernù bench | Bernù tables | Flyaway | Flyaway bench | Flyaway tables | Place | Place tables | Setz | Setz tables | NTCB | Morelli bench | Meanwhile | Connex | Connex tables | emBARq tables | inPower stool | Bari stool | Power cuboid | 4Share tables | Twenty-Twenty | Star bench | Zigzag bench | Nevada chair | Fiore | X series waste bins | W-Series |
| UPHOLSTERY | Grade A | | • | • | • | | | • | | • | | • | | • | • | | • | | | | | | • | • | | • | • | | • | • | • | • | • | • | | |
| | Grade B | | • | • | • | | | • | | • | | • | | • | • | | • | | | | | | • | • | | • | • | | • | • | • | • | • | • | | |
| | Grade C | | • | • | • | | | • | | • | | • | | • | • | | • | | | | | | • | • | | • | • | | • | • | • | • | • | • | | |
| | Grade D | | • | • | • | | | • | | • | | • | | • | • | | • | | | | | | • | • | | • | • | | • | • | • | • | • | • | | |
| | COM | | • | • | • | | | • | | • | | • | | • | • | | • | | | | | | • | • | | • | • | | • | • | • | • | • | • | | |
| | Resource II | | | | | | | | | | | | | | | | | | | | | | • | | | | | | | | | | | | | |
| SHELL | Reinforced Poly Composite | • | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Polypropylene | | | | | | | | • | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TABLE SURFACES | Fenix | | | | | | • | | | | | | • | | | • | | • | | • | | | • | | • | | | | • | | | | | | | • |
| | Solid Surface | | | | | | | | | | | | • | | | • | | • | | • | | | | | • | • | | | | | • | | | | | • |
| | Silestone | | | | | | | | | | | | • | | | • | | • | | • | | | | | • | • | | | | | • | | | | | • |
| STANDARD METALS | Cloud Silver | | | | | | | • | • | • | • | • | • | • | • | • | | | • | • | • | • | | • | • | • | • | • | | • | | | | | | |
| | Blackstone | • | • | • | • | • | • | | | | | | | | | | | | • | • | | | • | • | • | • | • | • | | • | | | | | | • |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| OPTIONALS METALS | Graphite | | | | | | | | | | • | | | | | | | | • | • | | | | | | | | | | | | | | | | |
| | Latte | | | | | | | | | | • | | | | | | | | • | • | | | | | | | | | | | | | | | | |
| | Matte Black | | | | | | | | | | • | | | | | | | | • | • | | | | | | | | | | | | | | | | |
| | Textured Black | | | | | | | | | | • | | | | | | | | • | • | | • | | | | | | | | | | | | | | |
| | Tungsten Silver | | | | | | | | | | • | | | | | | | | • | • | | | | | | | | | | | | | | | | |
| X-SERIES METALS | Black | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | • | |
| | Charcoal Grey | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | • | |
| | Light Grey | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | • | |
| | Silver Metallic | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | • | |
| | Blue | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | • | |
| | Green | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | • | |
| | Bright Red | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | • | |
| | Dark Brown | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | • | |
| OTHER METALS | Satin Aluminum | | | | | | | • | • | • | • | • | • | • | • | • | | | | | | | | | | | | • | | | | | • | | |
| | Bright Aluminum | | | | | | | | | | | | | • | • | • | • | • | | | | | | | | | | | | | | | | | | |
| | Stainless Steel | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | • | |
| WOOD | Maple | | | | | • | | • | | | | • | | | | | | | | | | | | | | | | | | | | | | | | |
| | Oak | | | | | • | | • | | | | • | | | | | | | | | | | | | | | | | | | | | | | | |
| | Walnut | | | | | • | | • | | | | • | | | | | | | | | | | | | | | | | | | | | | | | |
| | European Beech | | | | | | | | | | | | | | | | | | | | • | | | | | | | | | | | | | | | |
| | IPE | | | | | | | | | | | | | | | | | | | | | • | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

v052926

**Head Office**
Arconas Corporation
5700 Keaton Crescent
Mississauga, Ontario
L5R 3H5 Canada

**United States**
Arconas Inc.
220 S. Elm Street
High Point, N. Carolina
27260 U.S.A.

**Contact**
Telephone: +1 905 272 0727
Toll Free: +1 800 387 9496
Email: info@arconas.com

/arconas
@arconascorp
/arconas

CANADA BEST MANAGED COMPANIES | Platinum member

ISO 9001:2015 &
ISO 14001:2015 Certified

arconas.com

ARCONAS

v052926