


DATA SHEET

TEMPTATION floor-standing bin FF1

Volume:	1 x 18.5 gal (70 L)
Casing material:	1.4301/B.S. 304 S 15 stainless steel
Casing material thickness:	0.06" (1.5 mm)
Inner container material:	galvanized steel plate
Weight:	66 lbs. (30 kg)
Width:	20" (512 mm)
Depth:	15" (392 mm)
Height:	35" (900 mm)
Slot size:	5.5 x 5.5" (140 x 140 mm)

Accessories/options:

Oil dampers, ashtray, handles, wheeled base, feet, inscription



Copyright declaration:

All sketches, drawings and electronic information are the property of AUWEKO GmbH in Neu-Isenburg. The use of these documents, hard copies or information is permitted for internal purposes only. Forwarding to third parties is not authorised. Subject to technical alteration. © AUWEKO GmbH, 63263 Neu-Isenburg

DATA SHEET





TEMPTATION floor-standing bin FF2

Volume: 2 x 13.2 gal (50 L)
Casing material: 1.4301/B.S. 304 S 15 stainless steel
Casing material thickness: 0.6" (1.5 mm)
Inner container material: galvanized steel plate
Weight: 88.2 lbs. (40 kg)

Width: 28" (709 mm)
Depth: 15.4" (392 mm)
Height: 35" (900 mm)
Slot size: 5.5 x 5.5" (140 x 140 mm)

Accessories/options:

Oil dampers, cover, ashtray, handles, wheeled base, feet, inscription



Copyright declaration:

All sketches, drawings and electronic information are the property of AUWEKO GmbH in Neu-Isenburg. The use of these documents, hard copies or information is permitted for internal purposes only. Forwarding to third parties is not authorised. Subject to technical alteration. © AUWEKO GmbH, 63263 Neu-Isenburg

DATA SHEET




TEMPTATION floor-standing bin FF3

Volume:	2 x 13.2 gal (50 L) 1 x 18.5 gal (70 L)
Casing material:	1.4301/B.S. 304 S 15 stainless steel
Casing material thickness:	0.06" (1.5 mm)
Inner container material:	galvanized steel plate
Weight:	132.3 lbs. (60 kg)
Width:	38" (972 mm)
Depth:	19" (492 mm)
Height:	35" (900 mm)
Slot size:	Standard All 3 openings: 5.5 x 5.5" (140 x 140 mm) Option Openings 1 & 3: 5.5 x 5.5" (140 x 140 mm) Opening 2: 8 x 5.5" (200 x 140 mm)

Accessories/options:

Ashtray, handles, wheeled base, feet, inscription



Standard slots

Copyright declaration:

All sketches, drawings and electronic information are the property of AUWEKO GmbH in Neu-Isenburg. The use of these documents, hard copies or information is permitted for internal purposes only. Forwarding to third parties is not authorised. Subject to technical alteration. © AUWEKO GmbH, 63263 Neu-Isenburg

DATA SHEET




TEMPTATION floor-standing bin FF4

Volume: 2 x 14.5 gal (55 L)
2 x 16 gal (60 L)
Casing material: 1.4301/B.S. 304 S 15 stainless steel
Casing material thickness: 0.06" (1.5 mm)
Inner container material: galvanized steel plate
Weight: 165 lbs. (75 kg)

Width: 46.5" (1182 mm)
Depth: 21" (532 mm)
Height: 35" (900 mm)
Slot size: 5.5 x 5.5" (140 x 140 mm)

Accessories/options:
Ashtray, handles, wheeled base, feet, inscription



Copyright declaration:

All sketches, drawings and electronic information are the property of AUWEKO GmbH in Neu-Isenburg. The use of these documents, hard copies or information is permitted for internal purposes only. Forwarding to third parties is not authorised. Subject to technical alteration. © AUWEKO GmbH, 63263 Neu-Isenburg

DATA SHEET



TEMPTATION floor-standing bin with Advertising Panel FAJP2X100



Volume: 2 x 26 gal (2 x 100 L)
Casing material: 1.4301/B.S.304 S 15 stainless steel
Casing material thickness: 0.06" (1.5 mm)
Inner container material: galvanized steel plate
Weight: 150 lbs. (68 kg)

Width: 38" (970 mm)
Depth: 19" (490 mm)
Height: 35" (900 mm)
Slot size: 10 x 5.5" (250 x 140 mm)

Advertising panel: Transparent polyethylene sheet
30 x 24" (757 x 601 mm)

Accessories/options:

Oil dampers, ashtray, handles, wheeled base, feet, inscription, powder coating



Standard slots

Copyright declaration:

All sketches, drawings and electronic information are the property of AUWEKO GmbH in Neu-Isenburg. The use of these documents, hard copies or information is permitted for internal purposes only. Forwarding to third parties is not authorised. Subject to technical alteration. © AUWEKO GmbH, 63263 Neu-Isenburg