

ARCONAS

Materials & Finishes




At Arconas, we meticulously select finishes that not only look and feel exquisite but also stand the test of time. Each selection is chosen to enhance our products, ensuring they offer not just style but lasting durability.


Explore our range and discover how our finishes can transform your spaces into areas of comfort and elegance.

Understanding Our Grading System

Choosing the right finishes is crucial for creating furniture that meets our high standards of quality, sustainability, and aesthetic appeal. To assist you in making informed decisions, we've developed a comprehensive grading system that evaluates each finish based on key criteria: material construction, color selection, texture, durability, environmental properties and warranty.



Construction



Colour Selection



Texture



Durability



Environmental Properties








Warranty



Textiles

Textiles


Criteria	 Material/ Construction	 Colour Selection	 Texture	 Durability	 Environmental Properties
Grade A Esprit	Standard Vinyl	74 color options	<ul style="list-style-type: none"> • Smooth • Not a lot of stretch • Stays taut 	<ul style="list-style-type: none"> • Highly durable • High performance material • Budget-oriented 	<ul style="list-style-type: none"> • No environmental properties • Contains plasticizers and PVC
Grade B Naugasoft	Premium Vinyl	22 color options	<ul style="list-style-type: none"> • Soft • Satiny, Leather-like feel 	<ul style="list-style-type: none"> • Great wear properties • Proven in high-impact environments 	<ul style="list-style-type: none"> • No environmental properties • Contains plasticizers and PVC
Grade C Destiny	Nylon Matrix	29 color options	<ul style="list-style-type: none"> • Softer • Behaves like leather • May get softer over time • More give 	<ul style="list-style-type: none"> • Long life cycle • Resists cracking and peeling 	<ul style="list-style-type: none"> • No plasticizers or PVC • Low VOC
Grade D Eleather	Leather Fiber Composite	22 color options	<ul style="list-style-type: none"> • Luxurious • Natural, leather-like feel • May get softer over time • More give 	<ul style="list-style-type: none"> • Durable • Proven in high-impact environments 	<ul style="list-style-type: none"> • No plasticizers or PVC • Low VOC • Contains recycled material

Grade A | Esprit


by Nassimi

Standard Vinyl


Our Grade A material is a standard vinyl known for its flexibility and strength. It offers a sleek appearance, a large color selection and is easy to clean and maintain.



Grade A | Esprit



Super White



Snow White




Adobe White



Alabaster



Flint Grey



Dove



Platinum



Gun Metal



Graphite



Blue Ridge



Imperial Blue




Blueberry




Royal



Marina




Space Blue



Colonial Blue




Regimental Blue



Ocean Grey



Aqua Dark



Aegean




Aqua Green



Grotto




Forest



Emerald



Yew Green



Vizcaya Palm



Teal




Celadonw

Grade A | Esprit



Dusty Jade



North Woods



Irish Spring



Olive Green



Artichoke



Green Tea



Taupe



Tea Leaf




Mocha



Chestnut



Espresso




Black



Burgundy



Concord



New Purple




Purple Iris



Grape



Plum



Wood Violet



Iris



Blush



Mauve White



Tea Rose



Sangria



Candy Apple



Wineberry



Deep Clay



Claret

Grade A | Esprit




Raspberry




Paprika



American Beauty



Tomato



Mandarin Orange




British Tan



Rose




Peach




Pink



Shell




Toast



Parchment



Doe



Sun Yellow



Goldenrod



Saddle Tan



Oak



Dewberry

Grade A | Esprit

Information

GENERAL SPECIFICATIONS

Surface composition	100% PVC
Substrate composition	100% Polyester
Weight	30 oz per linear yard
Width	54"
Thickness	0.97 mm

ADDED PERFORMANCE SPECIFICATIONS

Stain resistance	Yes
Colorfastness to uv	1,000 Hours
Bleach resistance	Yes, 10% Dilution
Mildew resistant	Pass
Cold crack	-20° F
Sulfide stain resistance	Yes

PHYSICAL PERFORMANCE SPECIFICATIONS

Abrasion resistance	250,000+ Double Rubs
Breaking strength	95 Warp, 73 Fill
Crocking resistance	5 Dry, 5 Wet
Flex resistance	25,000+
Tear strength: tongue tear	11.9 Warp, 15.4 Fill
Seam strength: tack tear	67 Warp, 43 Fill

FLAME RETARDANCY SPECIFICATIONS

California Technical Bulletin 117:2013	PASS
UFAC Class I	PASS
NFPA 260	PASS

REDUCED ENVIRONMENTAL IMPACT

- This product does not pose any exposure risks associated with the chemicals in prop 65 no added flame retardant chemicals - ab2998 compliant
- No added anti-bacterial chemicals 7p phthalate free
- Lead / heavy metal free
- Bpa free / PFAS free / tris free / formaldehyde free does not contain conflict minerals

CLEANING AND MAINTENANCE

- For light soiling, clean the soiled area with mild soap and water, then rinse with fresh water and wipe down with a clean cloth.
- For heavy soiling, clean the soiled area with a 50% solution of Isopropyl Alcohol and water. It is important to rinse the cleaned area with fresh water after applying the alcohol solution.
- For food stains or oil, Wipe affected area with a soft cloth or soft bristle brush using a none abrasive cleaner, for example Formula 409 or Fantastik. Rinse with fresh water and wipe dry.
- For healthcare and disinfection, Clean the soiled area with a 10% solution of Household Bleach and water. It is important to rinse the cleaned area with fresh water after applying the bleach solution.

**NOTE: Test on a hidden area before applying to the stain.
DO NOT USE WITH ALCOHOL-BASED CLEANING AGENTS**

Grade B | NaugaSoft

by NaugaHyde

Premium Vinyl

Our Grade B material is a premium vinyl offering a soft, leather-like feel with exceptional durability and versatility. This high-performance material is engineered to withstand wear and tear, making it resistant to fading, stains, and abrasions.



Grade B | NaugaSoft



34-Soft-White




35-Fawn




44-Cream




37-Feather




46-Blue-Fog




50-Lake-Louise




55-Deep Sapphire



54-Mallard-Blue




40-Black-Satin




49-DeepSea



39-Laurel



45-MintLeaf



53-Ivy



51-Cocoa



43-VelvetBrown




52-Saddle



47-Tapestry Red



38-Harness



41-Mulberry



36-Cabernet

Grade B | NaugaSoft

Information

GENERAL SPECIFICATIONS

Surface composition	100% PVC
Substrate composition	100% Polyester
Weight	30 oz per linear yard
Width	54"
Thickness	0.97 mm

ADDED PERFORMANCE SPECIFICATIONS

Stain resistance	Yes
Colorfastness to uv	1,000 Hours
Bleach resistance	Yes, 10% Dilution
Mildew resistant	Pass
Cold crack	-20° F
Sulfide stain resistance	Yes

PHYSICAL PERFORMANCE SPECIFICATIONS

Abrasion resistance	250,000+ Double Rubs
Breaking strength	95 Warp, 73 Fill
Crocking resistance	5 Dry, 5 Wet
Flex resistance	25,000+
Tear strength: tongue tear	11.9 Warp, 15.4 Fill
Seam strength: tack tear	67 Warp, 43 Fill

FLAME RETARDANCY SPECIFICATIONS

California Technical Bulletin 117:2013	PASS
UFAC Class I	PASS
NFPA 260	PASS

REDUCED ENVIRONMENTAL IMPACT

- This product does not pose any exposure risks associated with the chemicals in prop 65 no added flame retardant chemicals - ab2998 compliant
- No added anti-bacterial chemicals 7p phthalate free
- Lead / heavy metal free
- Bpa free / PFAS free / tris free / formaldehyde free does not contain conflict minerals

CLEANING AND MAINTENANCE

- For light soiling, clean the soiled area with mild soap and water, then rinse with fresh water and wipe down with a clean cloth.
- For heavy soiling, clean the soiled area with a 50% solution of Isopropyl Alcohol and water. It is important to rinse the cleaned area with fresh water after applying the alcohol solution.
- For food stains or oil, Wipe affected area with a soft cloth or soft bristle brush using a none abrasive cleaner, for example Formula 409 or Fantastik. Rinse with fresh water and wipe dry.
- For healthcare and disinfection, Clean the soiled area with a 10% solution of Household Bleach and water. It is important to rinse the cleaned area with fresh water after applying the bleach solution.

NOTE: Test on a hidden area before applying to the stain.


DO NOT USE WITH ALCOHOL-BASED CLEANING AGENTS

Grade C | Destiny

by Majilite

Nylon Matrix

Our Grade C material is a nylon matrix fabric offering a luxurious, durable finish with a soft texture, engineered for longevity and ease of maintenance. It is resistant to stains, moisture, and wear, making it ideal for high-traffic environments.



Grade C | Destiny



Parchment



Eggshell



Ash




Mink



Truffle



Olive



Cactus



Butter



Dune



Oak



Chestnut



Football



Saddle



Root



Deep Red



Wine




Black Rose



Black



Newport



Mocha

Grade C | Destiny



Storm



Periwinkle




Blueberry



Royal Purple



Otter



Patina



Juniper



Cedar



Evergreen

Grade C | Destiny

Information

GENERAL SPECIFICATIONS

Substrate composition	100% Nylon Fiber Matrix
Weight	8.8 oz/sq yd, 300 g/m ²
Width	54"

PHYSICAL PERFORMANCE SPECIFICATIONS

Abrasion resistance	1,000,000 Double Rubs
Cold crack	-28° F
Tear strength: tongue tear	30 lbs x 30 lbs (ASTM D-1117-80)
Seam strength: tack tear	100 lbs x 100 lbs (ASTM D-1683-90A)

FLAME RETARDANCY SPECIFICATIONS

California Technical Bulletin 117:2013	PASS
UFAC Class I	PASS
NFPA 260	PASS
Tunnel Test	PASS

REDUCED ENVIRONMENTAL IMPACT

- This product does not use PVC's, plasticizers, phthalates, formaldehyde, lead, cadmium, dioxins, or ozone-depleting chemicals in our products or in their production.
- Majillite products Pass CA Section 01350 (VOC emissions), are REACH compliant and meet CAL 117-2013 and NFPA 260 without the addition of flame retardant chemicals
- Proposition 65 Statement available upon request

CLEANING AND MAINTENANCE

- Use a clean cloth or soft sponge to dab the stain with soapy water, mixed according to the manufacturer's directions. Remove the soap solution by wiping the area with a cloth and clean water. Dry with a soft lint-free cloth or towel.
- Very stubborn stains or non-water soluble stains can be removed with a mild solvent such as naphtha (lighter fluid, paint thinner). Lightly wipe the stain with a clean cloth which has been moistened with solvent. Blot the area with a dry cloth and allow to dry.
- Many ink and magic marker stains can be removed using a solution of one part Wisk detergent and one part rubbing alcohol. Dab lightly with a cloth which has been moistened with the solution. Do not rub. As the ink loosens, blot the area with a dry cloth. Repeat if necessary. Rinse with a cloth damp-ened in clean water, and dry with a soft cloth.
- For commercial installations use mild soap and water for general cleaning.

NOTE: Test on a hidden area before applying to the stain.

DO NOT USE WITH ALCOHOL-BASED CLEANING AGENTS

Grade D | ELeather


by Gen Phoenix

Leather Fibre Composite

Our Grade D option is an eco-friendly material made from recycled leather fibers, combining the strength of leather with sustainability. It's lightweight, easy to maintain, and provides a premium leather-like look.



Grade D | ELeather




2982




2980




2984



2992




2993



2979




3129



2976




2991



3137




3133




3136




3130




2978




3131




3132




2977




3134



3135



2990



3128



2989

Grade D | ELeather

Information

GENERAL SPECIFICATIONS

Substrate composition	Leather Fiber Composite
Weight	8.8 oz/sq yd, 300 g/m ²
Width	54"

PHYSICAL PERFORMANCE SPECIFICATIONS

Abrasion resistance	50,000 double rubs
---------------------	--------------------

FLAME RETARDANCY SPECIFICATIONS

California Technical Bulletin 117:2013	PASS
UFAC Class I	PASS
NFPA 260	PASS

REDUCED ENVIRONMENTAL IMPACT

-

CLEANING AND MAINTENANCE

- For light soiling, use a clean cloth or soft sponge to dab the stain with soapy water. Remove the soap solution by wiping the area with a cloth and clean water. Dry with a soft lint-free cloth or towel.
- For heavy soiling or non-water soluble stains can be removed with a mild solvent such as naphtha (lighter fluid, paint thinner). Lightly wipe the stain with a clean cloth moistened with solvent. Blot the area with a dry cloth and dry.

NOTE: Test on a hidden area before applying to the stain.

DO NOT USE WITH ALCOHOL-BASED CLEANING AGENTS









Table Surfaces


Table Surfaces

Criteria	 Material/ Construction	 Colour Selection	 Texture	 Durability	 Environmental Properties
Phenolic Fenix	Laminate	3 color options	<ul style="list-style-type: none"> • Soft-touch • Matte finish 	<ul style="list-style-type: none"> • Scratch-resistant • Heat-resistant • Self-healing for minor scratches • Not as hard as stone surfaces 	<ul style="list-style-type: none"> • Low VOC • Greenguard certified • EPD and HPD certified • Contains recycled material
Solid Surface	Aluminum Trihydrate Composite	4 color options	<ul style="list-style-type: none"> • Soft-touch • Warm-feel • Smooth 	<ul style="list-style-type: none"> • Durable and repairable • Softer than stone • Resistant to moisture and impact 	<ul style="list-style-type: none"> • Low VOC • Greenguard certified, • EPD and HPD certified, • Contains recycled material
Silestone	Quartz Composite	3 color options	<ul style="list-style-type: none"> • Smooth • Hard • Cool-touch • Quartz-like feel 	<ul style="list-style-type: none"> • Extremely durable • Scratch-resistant • Heat-resistant • Non-porous 	<ul style="list-style-type: none"> • Low VOC and NSF-certified • Processed using 100% renewable energy • Zero water waste • Contains at least 20% recycled material


Phenolic Fenix

Phenolic Fenix is an innovative laminate material with a solid core of 12 mm offering versatility and durability for high traffic environments. With low light reflectivity, Fenix is extremely opaque, soft touch and anti-fingerprint.


Phenolic Fenix



Bianco Male 0029



Grigio Bromo 0724



Nero Ingo 0720

Phenolic Fenix

Information

GENERAL PROPERTIES

- UV resistant
- Acid resistant
- Scratch resistant
- Anti-conductive

ENVIRONMENTAL CERTIFICATION

Greenguard Gold certified
Low Chemical Emission UL2818

HYGIENIC CERTIFICATION

NSF/ANSI 35 certified

CLEANING AND MAINTENANCE

- Use any household cleaner and warm water
- Always end by rinsing with warm water
- Dry with a clean cloth to avoid limescale residue

DO NOT USE ABRASIVE CREAMS, A SCOURING PAD OR HARD BRUSH

Solid Surface

Solid Surface Corian® is an advanced composite material offering exceptional design versatility, functionality, and low-maintenance care. Solid Surface is engineered for durability, making it ideal for tabletops and counters.


Solid Surface



Antarctica



Sandstone



Platinum



Deep Night Sky

Solid Surface

Information

GENERAL PROPERTIES

- Fire resistant
- UV resistant
- Acid resistant
- Scratch resistant
- Anti-microbial
- Anti-conductive

ENVIRONMENTAL CERTIFICATION

SCS Global certified, Environmental Product Declaration (EPD), Health Product Declaration (HPD)
LEED certified, ISO14001 certified

HYGIENIC CERTIFICATION

NSF/ANSI 35 certified

CLEANING AND MAINTENANCE

- Ammonia-based cleaners, solid surface cleaners, or soap and water with a soft scrub is recommended
- Spills should be wiped immediately and left to completely dry

CLEANING AND MAINTENANCE

- Ammonia-based cleaners, solid surface cleaners, or soap and water with a soft scrub is recommended
- Spills should be wiped immediately and left to completely dry

STAINS AND SCRATCHES


- Renew the surface with an abrasive pad and water
- Wet the area and pad and wash using a circular motion for 30 seconds. Do not use excessive pressure.
- Dry the area and observe to see if the stain has been removed. Repeat steps again until the stain has been removed.

DO NOT USE HARSH CHEMICALS

- **NO** Strong chlorinated solvents
- **NO** Alkaline cleaners, such as acetone or bleach
- **NO** Concentrated acids, such as sulfuric and hydrochloric acids
- **NO** Window cleaners
- **NO** Disinfectants and sterilants, such as disinfecting wipes, alcohol-based hand sanitizers
- **NO** Rubbing alcohol mixed with bleach to create chloroform
- **NO** Methylene chloride, such as paint removers

Silestone

Silestone is a hybrid surface of natural minerals and recycled materials, engineered for a polished, lustrous finish. With the durability of granite and marble but a brighter look, it's a long-lasting, stain-resistant choice.




Silestone



Lime Delight
URBAN CRUSH



Concrete Pulse
URBAN CRUSH



Cinder Craze
URBAN CRUSH

Silestone

Information

GENERAL PROPERTIES

- UV resistant
- Water resistant
- Acid resistant
- Scratch resistant
- Impact resistant

ENVIRONMENTAL CERTIFICATION

Greenguard Gold certified

Low Chemical Emission UL2818

LEED certified

Environmental Product Declaration (EPD)

ISO 14001 certified

HYGIENIC CERTIFICATION

NSF/ANSI 35 certified

CLEANING AND MAINTENANCE

- Wipe with soap and warm water on a regular basis
- Any pH balanced general-purpose household cleaner may be used

DO NOT USE HARSH CHEMICALS AND SOLVENTS

Metal Finishes

Our standard powder-coated metal offers a durable, eco-friendly, and low-maintenance finish that's customizable and ideal for high-traffic areas, ensuring long-lasting aesthetic appeal.

Standard Powder-Coated Metals



Cloud Silver
Indoor/Outdoor*
*Must be zinc-plated to be used outdoors



Tungsten Silver
Indoor



Matte Black
Indoor



Latte
SANDEX FINISH
Indoor



Graphite
SANDEX FINISH
Indoor/Outdoor



Textured Black
SANDEX FINISH
Indoor/Outdoor

Powder-Coated Metals for 4Share Tables, Avro & emBARq




Blackstone



Cloud Silver
(Not available for Avro)

Powder-Coated Metals for X-Series Collection



Cloud Silver



Silver Metallic



Light Grey



Black



Charcoal Grey



Blue



Bright Red



Dark Brown



Green

Other Metals



Stainless Steel



Satin Polish Aluminum



Bright Polish Aluminum

Metals

Information

GENERAL PROPERTIES

- UV resistant
- Water resistant
- Scratch resistant

FLAMMABILITY

NF EN 45545-2 Class 1 PASS
BS476 PASS

CLEANING

- Metal components should be dusted monthly to keep them looking their best and to avoid build up of dust.
- Any stains should be washed with mild soap in water and wiped dry to insure that water is not left sitting on the product to dry.

DO NOT USE WITH ALCOHOL-BASED CLEANING AGENTS

MAINTENANCE

- Products with metal finishes require a minimum amount of care due to the nature of its construction, however some preventative maintenance will insure it maintains its beauty for many years.



Wood

Our wood finishes are hard wood and cut from a single moulded form ensuring grain continuity. Seats and backs are wood veneer. Benches are solid wood.

Wood



Maple



Oak



Walnut

Wood

Information

Our standard wood grains are Maple, Oak and Walnut.

Wood seats and backs are made from wood veneer (laminated hardwood plywood) and are cut from a single moulded form ensuring grain continuity from one seat position to another.

Wooden bench tops are made from solid wood (seasoned hardwood), doweled and glued to ensure strength and durability. All are clear coated for easy touch up of minor scratches (no stain matching required).

CLEANING

- Wood components should be dusted monthly to keep them looking their best and to avoid build up of dust.
- Any stains should be washed with mild soap in water and wiped dry to insure that water is not left sitting on the product to dry.

DO NOT USE WITH ALCOHOL-BASED CLEANING AGENTS



Avro


Reinforced Polypropylene Composite

Avro's seating shells are crafted from high-pressure injected, recycled reinforced polypropylene composite material, engineered to withstand the demands of high-traffic environments. Beyond its functional lifespan, the material can be recycled into other products, supporting sustainable lifecycle practices.

Avro




Black



Burnt Orange




Clay



Dark Forest



Dock Blue



Quarry



Serpentine



Smoked Green

Avro

Information

GENERAL PROPERTIES

- UV stable
- Flexular Tensile strength 99 MPa

ENVIRONMENTAL CERTIFICATION

SCS Global certified
ANSI/BIFMA 7.1
Environmental Product Declaration (EPD)
Health Product Declaration (HPD)
LEED certified
ISO 9001 / 14001 -certified

FLAMMABILITY

Fire retardant
CAL 117:2013 PASS

CLEANING

Clean with a mild soap and water solution. Wipe the surface with a damp cloth, then dry thoroughly.


DO NOT USE ABRASIVE CLEANERS, SOLVENTS, OR ALCOHOL-BASED PRODUCTS




Bernù Poly

Bernù Aero Injected Polyurethane delivers the high-performance combined with ease of maintenance. With anti-microbial properties and durable construction, Bernù Aero Poly is an ideal solution for waiting areas that demand comfort and convenience.

Bernù Poly



Royal Blue



Graphite



Black

Bernù Poly

Information

GENERAL PROPERTIES

- UV stable

ENVIRONMENTAL CERTIFICATION

SCS Global certified

ANSI/BIFMA 7.1

CLEANING

- Use a mild soap and warm water solution with a damp cloth to clean spills or stains. Avoid soaking the material; blot dry with a clean towel

DO NOT USE ABRASIVE CLEANERS, SOLVENTS, OR ALCOHOL-BASED PRODUCTS

MAINTENANCE

- Products with metal finishes require a minimum amount of care due to the nature of its construction, however some preventative maintenance will insure it maintains its beauty for many years.

Product Finishes Chart

		PRODUCTS																																						
		Avro shell	Avro upholstered	Avro recliner	Avro lounge	Avro wood bench	Avro tables	Bernù Aero	Bernù Poly	Bernù Luxe	Bernù Perforated	Bernù bench	Bernù tables	Flyaway	Flyaway bench	Flyaway tables	Place	Place tables	Setz	Setz tables	NTCB	Morelli bench	Meanwhile	Connex	Connex tables	emBARq tables	inPower stool	Bari stool	Power cuboid	4Share tables	Twenty- Twenty	Star bench	Zigzag bench	Nevada chair	Fiore	X series waste bins	W-Series			
UPHOLSTERY	Grade A		•	•	•			•		•		•		•	•								•	•																
	Grade B		•	•	•			•		•		•		•	•									•	•															
	Grade C		•	•	•			•		•		•		•	•									•	•															
	Grade D		•	•	•			•		•		•		•	•									•	•															
	COM		•	•	•								•		•	•									•	•														
	Resource II																							•	•															
SHELL	Reinforced Poly Composite	•																																						
	Polypropylene							•																																
TABLE SURFACES	Fenix						•							•									•																	
	Solid Surface													•																										
	Silestone													•																										
STANDARD METALS	Cloud Silver							•	•	•	•	•	•	•	•	•				•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		
	Blackstone	•	•	•	•	•	•																	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
OPTIONALS METALS	Graphite																																							
	Latte																																							
	Matte Black																																							
	Textured Black																																							
	Tungsten Silver																							•																
X-SERIES METALS	Black																																							•
	Charcoal Grey																																							•
	Light Grey																																							•
	Silver Metallic																																							•
	Blue																																							•
	Green																																							•
	Bright Red																																							•
	Dark Brown																																							•
OTHER METALS	Satin Aluminum							•	•	•	•	•	•	•	•	•																								
	Bright Aluminum																																							
	Stainless Steel																																							•
WOOD	Maple					•																																		
	Oak					•																																		
	Walnut					•																																		
	European Beech																																							
	IPE																																							

Head Office

Arconas Corporation
5700 Keaton Crescent
Mississauga, Ontario
L5R 3H5 Canada

United States

Arconas Inc.
220 S. Elm Street
High Point, N. Carolina
27260 U.S.A.

Contact

Telephone: +1 905 272 0727
Toll Free: +1 800 387 9496
Email: info@arconas.com

 /arconas

 @arconascorp

 /arconas



Platinum
member

ISO 9001:2015 &
ISO 14001:2015 Certified



arconas.com

ARCONAS

v052726