

KEILHAUER

Spec Sheet

Lull




Exclusively distributed by **ARCONAS** for the transportation market.

Lull Specifications

Design by Bendsten Design Associates
Made by Keilhauer

74111	
High back swivel base upholstered chair	
Seat	
Seat Height	17.5"
Seat Width	24.5"
Seat Depth	21.75"
Seat Pan Angle	1.5°
Back	
Backrest Height	34"
Backrest Width	19"
Backrest Angle	102°
Backrest to Seat Angle	100.5°
Mounting	
Center to Center of Anchors	16.135" square




Construction Material	
Body	Fiberglass reinforced rigid foam over-molded high density CFC free polyurethane flex foam, 1" thick engineered plywood
Seat and Cushioning	CFC free cut inner core foam over-molded with high density CFC free polyurethane flex foam
Base	Triden swivel plate

Lull Specifications

Design by Bendsten Design Associates
Made by Keilhauer

Power (Optional)	74111 High back swivel base upholstered chair
Power Box Height from Floor (to Bottom)	5.25"
Power Box from Floor (to Center)	7.5"
Power Cord Length	72"
Power Cord Location (from Floor)	7.25"



Electrical Specifications

Power Box Location: Centered
UL Certified: Corded
Tamper resistant
Features 1 standard outlet, USB-A and USB-C
72" standard cord, straight plug
Clamp mount, plastic housing
Matte black